

SPLIT SYSTEMS > Design wall mounted units

Technical data

SET MODEL

Power consumption

Capacity

Power input

Operating current

Eficiency (EER/COP)

Refrigerant

INDOOR UNIT MODEL

Ventilator air flow

Sound Pressure (Lp)

Sound Power (Lw)

Net dimensions

Packing dimensions

Weight

OUTDOOR UNIT MODEL

Sound Power (Lw) / Pressure (Lp)

Compressor type

Compressor model

Fan type

Fan motor power

Net dimensions

Packing dimensions

Connection holes dimensions

Weight

Pipe connections

Electrical connections

Hi/Med/Low

Hi/Med/Low

Hi/Med/Low

LxHxD

LxHxD

brutto/neto

LxHxD

LxHxD

L1xD1

brutto/neto

liquid/gas

indoor condensate

indoor&outdoor

power to indoor

ADI/ADO-26HPR1B

230/1/50

Cooling mode

Heating mode

2600

2900

820

810

3,6

3,5

3,22

3,61

R410A

ADI-26HPR1B

500/360/270

39/35/32

48/44/41

850x275x160

940x365x250

11/8,5

ADO-26HPR1B

63/54

rotary

PA108X1C-4DZDE (GMCC)

Axial 1-fan

56

780x540x250

910x585x335

549x250

29,5/27,5

1/4 - 3/8

16

5 x 2,5

3 x 2,5

V/ph/Hz

W

W

A

m3/h

dB(A)

dB(A)

mm

mm

kg

dB(A)

W

mm

mm

mm

kg

inch

mm

mm2

mm2

